Physica C 205 (1993) 413–416
North-Holland

PHYSICA C

Author Index to Volume 205

Abraham, R., see J.L. Jorda **205**, 177
Abraham, R., see C. Opagiste **205**, 247
Achutharaman, V.S., see N. Chandrasekhar **205**, 161
Adrian, H., see C.M. Fu **205**, 111
Agrawal, V., see N. Chandrasekhar **205**, 161
Ajaykumar, K.S., see L.S. Grigoryan **205**, 296
Aksenova, T.D., P.V. Bratukhin, S.V. Shavkin, V.L. Melnikov, E.V. Antipova, N.E. Khlebova and A.K. Shikov, Texture formation in $Bi_2Sr_2Ca_1Cu_2O_x$/Ag tapes prepared by partial melt process **205**, 271
Andersson, M., Ö. Rapp and R. Tellgren, Neutron diffraction studies of Ca–Pr doped $YBa_2Cu_3O_{7-\delta}$ **205**, 105
Andres, K., see M. Kund **205**, 32
Antipova, E.V., see T.D. Aksenova **205**, 271

Bajorek, A., see M. Bałanda **205**, 280
Bałanda, M., A. Bajorek, A. Szytuła and Z. Tomkowicz, Flux creep in Pr-substituted systems A comparative study of $Eu_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ and $Y_{1-x}Pr_xBa_2Cu_4O_8$ **205**, 280
Beales, T.P., W.G. Freeman, S.R. Hall, M.R. Harrison and J.M. Parberry, Synthesis and properties of a series of layered copper oxide superconductors with a $(Pb_{0.5}Cd_{0.5})$ rock-salt dopant layer **205**, 383
Bednarczyk, P.J., see J.A. DeLuca **205**, 21
Bist, H.D., see L.S. Grigoryan **205**, 296
Blanchin, M.G., see C. Opagiste **205**, 247
Boon, W., see C.M. Fu **205**, 111
Bratukhin, P.V., see T.D. Aksenova **205**, 271
Bräuchle, G., see O. Kraut **205**, 139
Briant, C.L., see J.A. DeLuca **205**, 21
Bruynseraede, Y., see C.M. Fu **205**, 111
Bursill, L.A., see C. Opagiste **205**, 247

Caignaert, V., see A. Rykov **205**, 63
Cao, G., Y. Li, R. Ma and G. Wang, Study of lattice softening on a Bi-system superconductor **205**, 133
Carter, C.B., see M.G. Norton **205**, 347
Chandrasekhar, N., V. Agrawal, V.S. Achutharaman and A.M. Goldman, The growth of $DyBa_2Cu_3O_{7-x}$ on stepped surfaces **205**, 161
Chen, Z.Y., see K.B. Tang **205**, 406
Chiou, B.S., see J.B. Shi **205**, 129
Chrzanowski, J., see W. Xing **205**, 311
Chu, C.W., see Q. Xiong **205**, 307
Claus, H., see O. Kraut **205**, 139
Cohen-Adad, M.T., see J.L. Jorda **205**, 177
Cohen-Adad, M.Th., see C. Opagiste **205**, 247
Couach, M., see J.L. Jorda **205**, 177
Couach, M., see C. Opagiste **205**, 247
Cragg, A., see W. Xing **205**, 311

Dabrowski, B., see H. Shaked **205**, 225
Datars, W.R., see T.W. Krause **205**, 99
Davis, M.F., see Q. Xiong **205**, 307
DeLuca, J.A., P.L. Karas, J.E. Tkaczyk, P.J. Bednarczyk, M.F. Garbauskas, C.L. Briant and D.B. Sorensen, The preparation of "1223" Tl–Ca–Ba–Cu–oxide superconducting films via the reaction of silver-containing spray deposited Ca–Ba–Cu–oxide with thallium oxide vapor **205**, 21
Deshmukh, S.C., see Q. Xiong **205**, 307

Economou, D.J., see Q. Xiong **205**, 307
Edwards, P.P., see R.S. Liu **205**, 206
Ekino, T., Electron tunneling study of phonon structures in superconducting $La_{1.85}Sr_{0.15}CuO_4$ **205**, 338
Erb, A., see O. Kraut **205**, 139
Eriksson, S.-G., see N. Winzek **205**, 45

Fife, A.A., see W. Xing **205**, 311
Fischer, P., E. Kaldis, J. Karpinski, S. Rusiecki, E. Jilek, V. Trounov and A.W. Hewat, Neutron diffraction analysis of ^{44}Ca and Ca substituted superconductors $YBa_2Cu_4O_8$ with $T_c \approx 90$ K **205**, 259
Flükiger, R., see B. Hensel **205**, 329
Freeman, W.G., see T.P. Beales **205**, 383
Fu, C.M., V.V. Moshchalkov, W. Boon, K. Temst, Y. Bruynseraede, G. Jakob, T. Hahn and H. Adrian, Scaling properties of the anisotropic magnetoresistance in $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ superlattices **205**, 111
Furukawa, T., N. Machida, T. Shigematsu, N. Nakanishi, K. Yoshimura and K. Kosuge, Structure and superconductivity of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ prepared by vacuum calcination at 673 K ($x=0.02$ and 0.06) **205**, 39

Gamchi, H.S., see J. Wang **205**, 363
Garbauskas, M.F., see J.A. DeLuca **205**, 21
Glowacki, B.A., see H. Noji **205**, 397
Goldman, A.M., see N. Chandrasekhar **205**, 161
Golubov, A.A. and E.P. Houwman, Quasiparticle relaxation rates in a spatially inhomogeneous superconductor **205**, 147
Grabowski, R. and J. Zieliński, Superconducting pairing interactions among quasiparticles in the oxygen orbitals of CuO_2 planes **205**, 154
Graf, T., see C. Opagiste **205**, 247
Grigoryan, L.S., R. Kumar, S.K. Malik, R. Vijayaraghavan, K.S. Ajaykumar, M.D. Shastry, H.D. Bist and S. Sathaiah, Intercalation of Bi- and Tl-oxide superconductors with conjugated ring-shaped organic molecules X-ray, Raman scattering, microwave and magnetic studies **205**, 296
Grivel, J.-C., see B. Hensel **205**, 329

Groult, D., see V. Hardy **205**, 371

Hahn, T., see C.M. Fu **205**, 111
Hall, S.R., see T.P. Beales **205**, 383
Hardy, V., Ch. Simon, J. Provost and D. Groult, Irreversibility lines of Bi-2212 single crystals irradiated by 6 GeV-Pb ions **205**, 371
Harrison, M.R., see T.P. Beales **205**, 383
Hartford Jr., E.H., see M.G. Norton **205**, 347
Hartmann, A., G.J. Russell and K.N.R. Taylor, Characterisation of argon-ion-bombarded and chemically etched $Y_1Ba_2Cu_3O_{7-\delta}$ single crystal surfaces **205**, 78
Heinrich, B., see W. Xing **205**, 311
Hellman, E.S., see M.G. Norton **205**, 347
Hensel, B., J.-C. Grivel, A. Jeremie, A. Perin, A. Pollini and R. Flükiger, A model for the critical current in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ silver-sheathed tapes The role of small-angle *c*-axis grain boundaries and of the texture **205**, 329
Hervieu, M., see M. Huvé **205**, 219
Hewat, A.W., see P. Fischer **205**, 259
Hinks, D.G., see H. Shaked **205**, 225
Hitterman, R.L., see H. Shaked **205**, 225
Ho, J.C., see J.B. Shi **205**, 129
Hor, P.H., see Q. Xiong **205**, 307
Houwman, E.P., see A.A. Golubov **205**, 147
Hu, D., The current dependence of the effective pinning potential in high-T_c superconductors **205**, 123
Hu, S.F., see R.S. Liu **205**, 206
Huang, Y.Z., see W.J. Zhu **205**, 118
Hunneyball, P.D., see R.S. Liu **205**, 206
Huvé, M., C. Michel, A. Maignan, M. Hervieu, C. Martin and B. Raveau, A 70 K superconductor The oxycarbonate $Tl_{0.5}Pb_{0.5}Sr_4Cu_2(CO_3)O_7$ **205**, 219

Irvine, J.T.S., see D.C. Sinclair **205**, 323
Irwin, J.C., see W. Xing **205**, 311

Jakob, G., see C.M. Fu **205**, 111
Jansak, L., see S. Zannella **205**, 14
Jayaprakash, R. and J. Shanker, Effect of valency and ligancy on ionic radii in high-temperature superconductors **205**, 377
Jefferson, D.A., see R.S. Liu **205**, 206
Jeremie, A., see B. Hensel **205**, 329
Jia, Y.B., see K.B. Tang **205**, 406
Jilek, E., see P. Fischer **205**, 259
Jondo, T.K., see J.L. Jorda **205**, 177
Jondo, T.K., see C. Opagiste **205**, 247
Jorda, J.L., T.K. Jondo, R. Abraham, M.T. Cohen-Adad, C. Opagiste, M. Couach, A. Khoder and F. Sibieude, Preparation of pure $Tl_2Ba_2CuO_{6\pm x}$ The contribution of phase equilibrium studies **205**, 177
Jorda, J.-L., see C. Opagiste **205**, 247
Jorgensen, J.D., see H. Shaked **205**, 225
Junod, A., see C. Opagiste **205**, 247

Kaldis, E., see P. Fischer **205**, 259
Kao, C.H., Y.S. Shiue, S.R. Sheen and M.K. Wu, The effect of Ag_2O on the superconducting properties of $YBa_2Cu_3O_{7-x}$/Ag_2O composites **205**, 186
Karas, P.L., see J.A. DeLuca **205**, 21
Karpinski, J., see P. Fischer **205**, 259
Khlebova, N.E., see T.D. Aksenova **205**, 271
Khoder, A., see J.L. Jorda **205**, 177
Khoder, A.F., see C. Opagiste **205**, 247
Kosuge, K., see T. Furukawa **205**, 39
Krause, T.W., A.-C. Shi and W.R. Datars, Thermally activated motion of two-dimensional vortices in $Bi_2Sr_2CaCu_2O_y$ crystals **205**, 99
Kraut, O., C. Meingast, G. Bräuchle, H. Claus, A. Erb, G. Müller-Vogt and H. Wühl, Uniaxial pressure dependence of T_c of untwinned $YBa_2Cu_3O_x$ single crystals for $x=6.5$–7 **205**, 139
Kremer, R.K., see N. Winzek **205**, 45
Ku, H.C., see J.B. Shi **205**, 129
Kumar, R., see L.S. Grigoryan **205**, 296
Kund, M. and K. Andres, Anisotropic stress dependence of T_c in $YBa_2Cu_3O_{7-\delta}$ single crystals deduced from thermal expansion, measured with a capacitive quartz-dilatometer **205**, 32
Kurin, V.V. and D.A. Ryndyk, Coherent microwave-induced effects in 2D Josephson arrays **205**, 85

Leckel, O., see C. Opagiste **205**, 247
Lee, T.J., see J.B. Shi **205**, 129
Li, R.K., see K.B. Tang **205**, 406
Li, Y., see G. Cao **205**, 133
Liu, R.S., S.F. Hu, D.A. Jefferson, P.P. Edwards and P.D. Hunneyball, A new 92 K high-T_c superconductor Hg-containing Tl-based 1212 phase **205**, 206
Lu, B., see K.B. Tang **205**, 406

Ma, R., see G. Cao **205**, 133
Machida, N., see T. Furukawa **205**, 39
Maignan, A., see A. Rykov **205**, 63
Maignan, A., see M. Huvé **205**, 219
Majoros, M., see S. Zannella **205**, 14
Malik, S.K., see L.S. Grigoryan **205**, 296
Martin, C., see M. Huvé **205**, 219
Matsushita, T., Effect of short coherence length along the *c*-axis on the irreversibility line in high-T_c superconductors **205**, 289
Mattausch, Hj., see N. Winzek **205**, 45
Mehring, M., see N. Winzek **205**, 45
Meier, J.P., see W. Paul **205**, 240
Meingast, C., see O. Kraut **205**, 139
Melnikov, V.L., see T.D. Aksenova **205**, 271
Michel, C., see M. Huvé **205**, 219
Moshchalkov, V.V., see C.M. Fu **205**, 111
Mott, N.F., Polaron models of high-temperature superconductivity **205**, 191
Muller, J., see C. Opagiste **205**, 247
Müller-Vogt, G., see O. Kraut **205**, 139

Nagaev, E.L. and A.I. Podel'shchikov, A new type of pairing and phase separation in degenerate antiferromagnetic semiconductors **205**, 91
Nakanishi, N., see T. Furukawa **205**, 39
Nguyen, N., see A. Rykov **205**, 63
Noji, H., W. Zhou, B.A. Glowacki and A. Oota, Influence of cooling and annealing procedure on the intergranular coupling of Ag–$Bi_2Sr_2CaCu_2O_x$ screen-printed tape **205**, 397
Norton, M.G., E.S. Hellman, E.H. Hartford Jr. and C.B. Carter, Compositionally modulated nucleation and growth of barium bismuth oxide thin films on MgO **205**, 347

Ōno, Y., see K. Sano **205**, 170
Oota, A., see H. Noji **205**, 397
Opagiste, C., see J.L. Jorda **205**, 177
Opagiste, C., M. Couach, A.F. Khoder, T. Graf, A. Junod, G. Triscone, J. Muller, T.K. Jondo, J.-L. Jorda, R. Abraham, M.Th. Cohen-Adad, L.A. Bursill, O. Leckel and M.G. Blanchin, Metallurgy, HRTEM, magnetic properties and specific heat of $Tl_2Ba_2Cu_1O_{6+\delta}$ 90K-superconductors obtained by a new process **205**, 247

Parberry, J.M., see T.P. Beales **205**, 383
Paul, W. and J.P. Meier, Inductive measurements of voltage–current characteristics between 10^{-12} V/cm and 10^{-2} V/cm in rings of Bi2212 ceramics **205**, 240
Perin, A., see B. Hensel **205**, 329
Podel'shchikov, A.I., see E.L. Nagaev **205**, 91
Pollini, A., see B. Hensel **205**, 329
Provost, J., see V. Hardy **205**, 371

Qian, Y.T., see K.B. Tang **205**, 406

Rapp, Ö., see M. Andersson **205**, 105
Raveau, B., see A. Rykov **205**, 63
Raveau, B., see M. Huvé **205**, 219
Rusiecki, S., see P. Fischer **205**, 259
Russell, G.J., see A. Hartmann **205**, 78
Russell, G.J., see H.B. Sun **205**, 266
Russell, G.J., see J. Wang **205**, 363
Rykov, A., V. Caignaert, N. Nguyen, A. Maignan, E. Suard and B. Raveau, The complex distribution of iron in the (Y, Ca)Ba_2(Cu, Fe)$_3O_{6+y}$ cuprate A Mössbauer study **205**, 63
Ryndyk, D.A., see V.V. Kurin **205**, 85
Ryzhov, V.N. and E.E. Tareyeva, Hexatic phase in thin-film superconductors **205**, 55

Salama, K., see S. Zannella **205**, 14
Sano, K. and Y. Ōno, Charge fluctuation and superconductivity in the one-dimensional d–p model **205**, 170
Sathaiah, S., see L.S. Grigoryan **205**, 296
Selvamanickam, V., see S. Zannella **205**, 14
Sergeenkov, S.A., On weak-link behavior of silver-doped high-T_c granular superconductors **205**, 1
Shaked, H., J.D. Jorgensen, D.G. Hinks, R.L. Hitterman and B. Dabrowski, Structural properties of $YBa_2Cu_3O_{6+x}$ at elevated temperatures in controlled oxygen atmospheres **205**, 225
Shanker, J., see R. Jayaprakash **205**, 377
Shastry, M.D., see L.S. Grigoryan **205**, 296
Shavkin, S.V., see T.D. Aksenova **205**, 271
Sheen, S.R., see C.H. Kao **205**, 186
Shi, A.-C., see T.W. Krause **205**, 99
Shi, J.B., J.C. Ho, T.J. Lee, B.S. Chiou and H.C. Ku, Cobalt ordering in layered $Bi_2Sr_2CoO_{6+\delta}$ single crystal **205**, 129
Shigematsu, T., see T. Furukawa **205**, 39
Shikov, A.K., see T.D. Aksenova **205**, 271
Shiue, Y.S., see C.H. Kao **205**, 186
Sibieude, F., see J.L. Jorda **205**, 177
Simon, A., see N. Winzek **205**, 45
Simon, Ch., see V. Hardy **205**, 371
Sinclair, D.C., S. Tait, J.T.S. Irvine and A.R. West, Superconductivity in La-doped Bi "2201" **205**, 323
Sorensen, D.B., see J.A. DeLuca **205**, 21
Ström, C., see N. Winzek **205**, 45
Suard, E., see A. Rykov **205**, 63
Sun, H.B., K.N.R. Taylor and G.J. Russell, Pinning energies of oxygen deficient YBCO using time dependent AC susceptibility measurements **205**, 266
Sun, Y.Y., see Q. Xiong **205**, 307
Szytuła, A., see M. Bałanda **205**, 280

Tait, S., see D.C. Sinclair **205**, 323
Tang, K.B., Y.T. Qian, R.K. Li, Z.Y. Chen, B. Lu and Y.B. Jia, Synthesis and structure of $Sr_2(YCe)_nCuFeO_y$ (n=2, 3, 4), a new series of layered cuprates with fluorite layers **205**, 406
Tareyeva, E.E., see V.N. Ryzhov **205**, 55
Taylor, K.N.R., see A. Hartmann **205**, 78
Taylor, K.N.R., see H.B. Sun **205**, 266
Taylor, K.N.R., see J. Wang **205**, 363
Tellgren, R., see M. Andersson **205**, 105
Temst, K., see C.M. Fu **205**, 111
Tkaczyk, J.E., see J.A. DeLuca **205**, 21
Tomkowicz, Z., see M. Bałanda **205**, 280
Traeholt, C., see J.G. Wen **205**, 354
Triscone, G., see C. Opagiste **205**, 247
Trounov, V., see P. Fischer **205**, 259

Vijayaraghavan, R., see L.S. Grigoryan **205**, 296

Wang, G., see G. Cao **205**, 133
Wang, J., H.S. Gamchi, K.N.R. Taylor, G.J. Russell and Y. Yue, Field dependent AC loss in YBCO superconductors **205**, 363
Wen, J.G., C. Traeholt and H.W. Zandbergen, Stacking sequence of $YBa_2Cu_3O_7$ thin film on $SrTiO_3$ substrate **205**, 354
West, A.R., see D.C. Sinclair **205**, 323
Winzek, N., Hj. Mattausch, S.-G. Eriksson, C. Ström, R.K. Kremer, A. Simon and M. Mehring, ^{205}Tl NMR in oxygen depleted cuprate superconductors $Tl_2Ba_2CaCu_2O_{8-\delta}$ **205**, 45

Wolfe, J.C., see Q. Xiong **205**, 307
Wu, M.K., see C.H. Kao **205**, 186
Wühl, H., see O. Kraut **205**, 139

Xing, W., B. Heinrich, J. Chrzanowski, J.C. Irwin, H. Zhou, A. Cragg and A.A. Fife, Determination of critical current densities of $YBa_2Cu_3O_{7-\delta}$ thin films from AC susceptibility measurements **205**, 311
Xiong, Q., Y.Y. Xue, Y.Y. Sun, P.H. Hor, C.W. Chu, M.F. Davis, J.C. Wolfe, S.C. Deshmukh and D.J. Economou, Effect of pressure on the critical current density of $YBa_2Cu_3O_{7-\delta}$ thin films **205**, 307
Xue, Y.Y., see Q. Xiong **205**, 307

Yoshimura, K., see T. Furukawa **205**, 39
Yue, J.J., see W.J. Zhu **205**, 118
Yue, Y., see J. Wang **205**, 363

Zandbergen, H.W., see J.G. Wen **205**, 354
Zannella, S., L. Jansak, M. Majoros, V. Selvamanickam and K. Salama, AC energy dissipation in high-T_c superconductors **205**, 14
Zhao, Z.X., see W.J. Zhu **205**, 118
Zhou, H., see W. Xing **205**, 311
Zhou, W., see H. Noji **205**, 397
Zhu, W.J., J.J. Yue, Y.Z. Huang and Z.X. Zhao, $(B,Cu)Sr_2YCu_2O_7$, a new layered copper-oxide based on the boron–oxygen group **205**, 118
Zieliński, J., see R. Grabowski **205**, 154

Physica C 205 (1993) 417
North-Holland

PHYSICA C

Analytic Subject Index to Volume 205

AC susceptibility 14, 39, 266, 311, 363
Anisotropic superconductor 99, 111, 139, 289
Antiferromagnetic order 45, 91
–in $Bi_2Sr_2CoO_{6+\delta}$ 129
Applications of high-T_c superconductors 14, 271, 329, 397

Band structure 154

Composites
–of $YBa_2Cu_3O_{7-x}/Ag_2O$ 186
Critical current density 21, 123, 307, 311, 329, 363, 397
Critical state model 14, 311, 363
Cu–O planes 154

Defect structures 161, 354
Density of states 147

Electrical resistivity 118
Electron diffraction 347
Electronic structure 78, 170
Electron–phonon coupling 338
Eliashberg equations 147
Energy gap 147

Fermi surface 154
Fluctuation effects 111
Flux creep 123, 280
Flux dynamics 99, 266
Flux lattice melting 55
Flux pinning 21, 240, 266, 289, 371

Glassy state 123
Grain alignment 21, 271, 329
Grain boundaries 329, 397
Granular superconductivity 1, 14, 123, 240, 280, 363

Hexatic phase 55
High pressure effect 139, 307
HREM 219, 247, 354
Hubbard Hamiltonian 170

Inductive measurement 240
Intercalation 296
Ionic radii 377
Irradiation effect 78, 371
Irreversibility line 240, 289, 371

Josephson array 85
Josephson effect 1, 85

Lattice dynamics 133
Lattice parameters 377, 406
Localization 91

Magnetic relaxation 266, 280
Magnetic susceptibility 129, 280, 323
Magnetization 247, 296, 383
Magnetoresistance 99, 111
Metal–insulator transition 170
Microwave absorption 296
Mössbauer spectroscopy 63, 133
Multilayers 111

Neutron diffraction 105, 225
NMR 45
Non-ohmic behaviour 240
Normal-state properties 191

O–T transition 63, 177, 225
Oxygen stoichiometry 45, 225

Pairing interaction 154
Phase diagram 170, 177, 225
Phase separation 91
Phonon spectrum 338
Polaronic superconductor 191
Proximity effect 1

Raman scattering 296

Shapiro step 85
Specific heat 129, 247
Spin bipolarons 191
Structural phase transition 225
Structure
–of ^{44}Ca in $YBa_2Cu_4O_8$ 259
–of $(B,Cu)Sr_2YCu_2O_7$ 118
–of $Bi_{2+x}Sr_{2-x-y}La_yCuO_\delta$ 323
–of Bi–Pb–Sr–Ca–Cu–Fe–O 133
–of $Sr_2(YCe)_nCuFeO_y$ 406
–of $(Tl_{0.5}Hg_{0.5})Sr_2(Ca_{1-x}Y_x)Cu_2O_{7-\delta}$ 206
–of $Tl_{0.5}Pb_{0.5}Sr_4Cu_2(CO_3)O_7$ 219
–of $Tl_2Ba_2Cu_1O_{6+\delta}$ 247
–of $Y_{1-2x}Ca_xPr_xBa_2Cu_3O_{7-\delta}$ 105
–of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ 39
–of $YBa_2Cu_3O_{7-x}/Ag_2O$ 186
Substitution effects 1, 63, 280
–in $(B,Cu)Sr_2YCu_2O_7$ 118
–in $Bi_{2+x}Sr_{2-x-y}La_yCuO_\delta$ 323
–in Pb–Cd–Sr–La–Cu–O 383
–in $(Tl_{0.5}Hg_{0.5})Sr_2(Ca_{1-x}Y_x)Cu_2O_{7-\delta}$ 206
–in $Y_{1-2x}Ca_xPr_xBa_2Cu_3O_{7-\delta}$ 105
–of ^{44}Ca in $YBa_2Cu_4O_8$ 259
Synthesis
–of $(B,Cu)Sr_2YCu_2O_7$ 118
–of $Bi_2Sr_2Ca_1Cu_2O_x$/Ag tapes 271
–of $DyBa_2Cu_3O_{7-x}$ 161
–of Pb–Cd–Sr–La–Cu–O 383
–of $Sr_2(YCe)_nCuFeO_y$ 406
–of $(Tl_{0.5}Hg_{0.5})Sr_2(Ca_{1-x}Y_x)Cu_2O_{7-\delta}$ 206
–of $Tl_{0.5}Pb_{0.5}Sr_4Cu_2(CO_3)O_7$ 219
–of $Tl_2Ba_2Cu_1O_{6+\delta}$ 247
–of $Tl_2Ba_2CuO_6$ 177
–of $TlCa_2Ba_2Cu_3O_9$ 21
–of $YBa_2(Cu_{1-x}Fe_x)_3O_y$ 39

Thermal conductivity 191
Thermal expansion 32, 139
Thick films 21
Thin films 55, 161, 307, 311, 347, 354
Transmission electron microscopy 347
Tunneling 338
Twin boundaries 32

Weak links 1, 397

XPS 78
X-ray diffraction 186, 296